



RESPONSE UNDER 37 CFR 1.116 EXPEDITED PROCEDURE EXAMINING GROUP 1713

Art Unit: 1713

Examiner: J. M. Reddick

PATENT Attorney Docket No. 213338 Client Reference No. 20829

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Murakami et al.

Application No. 09/941,972

Filed: August 29, 2001

For: ADHESIVE COMPOSITION FOR SKIN

AND ADHESIVE TAPE OR SHEET FOR SKIN COMPRISING THE COMPOSITION

AMENDMENTS TO CLAIMS
MADE IN RESPONSE TO OFFICE ACTION DATED DECEMBER 27, 2002

Amendments to existing claims:

- 7. (Amended) The adhesive composition for application to skin according to claim 1, wherein the adhesive composition layer is chemically crosslinked.
- 15. (Amended) The adhesive composition for application to skin according to claim 9, wherein the adhesive composition layer is chemically crosslinked.





RESPONSE UNDER 37 CFR 1.116 EXPEDITED PROCEDURE EXAMINING GROUP 1713

PATENT Attorney Docket No. 213338 Client Reference No. 20829

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Art Unit: 1713

Examiner: J. M. Reddick

In re Application of:

Murakami et al.

Application No. 09/941,972

Filed: August 29, 2001

For:

ADHESIVE COMPOSITION FOR SKIN AND ADHESIVE TAPE OR SHEET FOR SKIN COMPRISING THE

COMPOSITION

PENDING CLAIMS AFTER AMENDMENTS MADE IN RESPONSE TO OFFICE ACTION DATED DECEMBER 27, 2002

1. An adhesive composition for application to skin, which comprises an acrylic copolymer (100 parts by weight) obtained from a monomer mixture comprising a (meth)acrylic acid alkyl ester monomer (40-80 wt%), an alkoxy group-containing ethylenically unsaturated monomer (10-60 wt%) and a carboxy group-containing ethylenically unsaturated monomer (1-10 wt%), and

a carboxylic acid ester (20-120 parts by weight), which is liquid or paste at room temperature,

wherein the acrylic copolymer has a gel fraction of 30-80 wt%.

- 2. The adhesive composition for application to skin according to claim 1, wherein the carboxylic acid ester is a glycerine ester of saturated fatty acid.
- 3. The adhesive composition for application to skin according to claim 2, wherein the saturated fatty acid has 8 to 10 carbon atoms.

In re Appln. of Murakami et al. Application No. 09/941,972

- 4. The adhesive composition for application to skin according to claim 3, wherein the saturated fatty acid having 8 to 10 carbon atoms is selected from the group consisting of a caprylic acid, a capric acid and a 2-ethylhexanoic acid.
- 5. The adhesive composition for application to skin according to claim 2, wherein the glycerine ester is a triglycerine ester.
- 6. The adhesive composition for application to skin according to claim 2, wherein the glycerine ester of saturated fatty acid is selected from the group consisting of triglyceryl caprylate, triglyceryl caprate and triglyceryl 2-ethylhexanoate.
- 7. The adhesive composition for application to skin according to claim 1, wherein the adhesive composition is chemically crosslinked.
- 8 The adhesive composition for application to skin according to claim 7, wherein the chemical crosslinking is performed using an organic compound selected from the group consisting of an organic peroxide, an isocyanate compound, an epoxy compound and a metal chelate compound.
- 9. An adhesive composition for application to skin comprising an acrylic copolymer (100 parts by weight) obtained from a monomer mixture comprising a (meth)acrylic acid alkyl ester monomer (40-80 wt%), an alkoxy group-containing ethylenically unsaturated monomer (10-60 wt%) and a carboxy group-containing ethylenically unsaturated monomer (1-10 wt%) and

a carboxylic acid ester (20-120 parts by weight), which is liquid or paste at room temperature,

wherein the acrylic copolymer has a gel fraction of 20-60 wt%.

10. The adhesive composition for application to skin according to claim 9, wherein the carboxylic acid ester is a glycerine ester of saturated fatty acid.

In re Appln. of Murakami et al. Application No. 09/941,972

- 11. The adhesive composition for application to skin according to claim 10, wherein the saturated fatty acid has 8 to 10 carbon atoms.
- 12. The adhesive composition for application to skin according to claim 11, wherein the saturated fatty acid having 8 to 10 carbon atoms is selected from the group consisting of a caprylic acid, a capric acid and a 2-ethylhexanoic acid.
- 13. The adhesive composition for application to skin according to claim 10, wherein the glycerine ester is a triglycerine ester.
- 14. The adhesive composition for application to skin according to claim 10, wherein the glycerine ester of saturated fatty acid is selected from the group consisting of triglyceryl caprylate, triglyceryl caprate and triglyceryl 2-ethylhexanoate.
- 15. The adhesive composition for application to skin according to claim 9, wherein the adhesive composition is chemically crosslinked.
- 16. The adhesive composition for application to skin according to claim 15, wherein the chemical crosslinking is performed using an organic compound selected from the group consisting of an organic peroxide, an isocyanate compound, an epoxy compound and a metal chelate compound.